

**IN THE CLAIMS:**

Please CANCEL claim 26 and AMEND claims 1-11, 16-17 and 20 in accordance with the following:

1. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a first computer has been connected, and a second computer is connected to one of said connecting means, wherein

said first computer comprises resource information managing means for managing information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit, and resource information processing means for taking out the ~~content of~~ hardware or software information from said resource information managing means in response to a request ~~effor~~ for information relating to usable hardware or software from another computer, and transmitting to said network circuit,

said second computer comprises resource setting means for setting the hardware or software according to the ~~content of the~~ hardware or software information transmitted by said resource information processing means of said first computer, and

when said second computer is connected to said network circuit through any one of said plural connecting means, said resource setting means receives the ~~content of the~~ hardware or software information transmitted by said resource information processing means of said first computer and directly sets the hardware or software.

2. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a first computer has been connected, and a second computer is connected to one of said connecting means, wherein

said first computer comprises resource information managing means for managing information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit, resource information processing means for taking out the ~~content of~~ hardware or software information from said resource information managing means in response to a request ~~eff~~or information relating to usable hardware or software from another computer, and transmitting to said network circuit, and resource installation position managing means for managing the position at which the hardware or software managed by said resource information managing means exists,

said second computer comprises position noticing means for noticing the position information indicating the position to said first computer when connected to one of said connecting means, resource selecting means for selecting an arbitrary hardware or software out of a plurality of the hardware or software, and resource setting means for setting the hardware or software according to the ~~content of the~~ hardware or software information selected by said resource selecting means, and

when said second computer is connected to said network circuit through any one of said plural connecting means,

said resource installation position managing means of said first computer reads out the hardware or software information corresponding to the position information noticed by said position noticing means from said resource information managing means, and transmits to said second computer, and

said resource setting means of said second computer directly sets the hardware or software selected by said resource selecting means in the hardware or software information received from said first computer.

3. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to

which a first computer has been connected, and a second computer is connected to one of said connecting means, wherein

said first computer comprises resource information managing means for managing information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit, and resource information processing means for taking out the ~~content of~~ hardware or software information from said resource information managing means in response to a request ~~effor~~ for information relating to usable hardware or software from another computer, and transmitting to said network circuit,

said second computer comprises resource information holding means for holding the hardware or software information relating to the hardware or software that can be managed directly, and comparing means for comparing the ~~content~~ hardware or software information of said resource information holding means and the ~~content~~ hardware or software information of said resource information managing means of said first computer, and detecting a replaceable hardware or software, and

when said second computer is connected to said network circuit through any one of said plural connecting means as being disconnected from the hardware or software that can be managed directly, said comparing means compares the ~~content~~ hardware or software information of said resource information managing means transmitted from said resource information processing means and the ~~content~~ hardware or software information of said resource information holding means, and resource setting means directly sets a replaceable hardware or software.

4. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a computer is connected to one of said connecting means, wherein

said computer comprises resource information managing means for managing plural sets

of information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit corresponding to said connecting means, position selecting means for selecting one of the information relating to plural sets of hardware or software managed by said resource information managing means, and resource setting means for setting the hardware or software according to the information relating to the hardware or software corresponding to the position selected by said position selecting means, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource setting means obtains the hardware or software information corresponding to the position selected by said position selecting means from said resource information managing means, and directly sets the hardware or software.

5. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a first computer has been connected, and a second computer is connected to one of said connecting means, wherein

said first computer comprises resource information managing means for managing plural sets of information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit corresponding to plural positions,

said second computer comprises resource information managing means for managing plural sets of information relating to the hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit corresponding to said connecting means, position selecting means for selecting one of the information relating to plural sets of hardware or software managed by said resource information managing means, resource setting means for setting the hardware or software according to the

information relating to the hardware or software corresponding to the position selected by said position selecting means, and comparing means for comparing ~~the~~an updated time of the ~~content of the own~~ hardware or software information of said resource information managing means of said second computer and ~~the~~an updated time of the ~~content~~hardware or software information of said resource information managing means of said first computer, and

when said second computer is connected to said network circuit through any one of said plural connecting means, said resource setting means obtains the ~~content~~hardware or software information of said resource information managing means of said first computer, and registers in said resource information managing means in the case where the comparing result by said comparing means shows that the updated time of the ~~content of the own~~ resource information managing means of the second computer is before the updated time of ~~the content of~~ said resource information managing means of said first computer, and directly sets the hardware or software.

6. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a computer is connected to one of said connecting means, wherein

said computer comprises resource information managing means for managing plural sets of information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit corresponding to said connecting means, position selecting means for selecting one of the information relating to plural sets of hardware or software managed by said resource information managing means, resource setting means for directly setting the hardware or software according to the information relating to the hardware or software corresponding to the position selected by said position selecting means, updated resource information transmitting means for transmitting updated hardware or software information to all computers connected to said network circuit when ~~content~~the

hardware or software information of said resource information managing means is updated, and resource information updating means for updating the ~~content~~hardware or software information of said resource information managing means when receiving the updated hardware or software information, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource information updating means updates the ~~content~~hardware or software information of said resource information managing means in the case where said resource information updating means receives the updated hardware or software information from said updated resource information transmitting means of other computer.

7. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which plural first computers have been connected, and a second computer is connected to one of said connecting means, wherein

each of said first computers comprises resource information managing means for managing information relating to hardware or software installed at a specific position in the real world usable through said network circuit, and resource information processing means for taking out the ~~content~~hardware or software information of said resource information processing means in response to a request of information relating to usable hardware or software from another computer, and transmitting to said network circuit,

said second computer comprises position information managing means for managing information relating to the positions of the hardware or software, the information including a position in the real world for each of the hardware or software managed by each of said plural first computers, position selecting means for selecting one of the information relating to the positions managed by said position information managing means, resource information obtaining means for obtaining the information relating to the hardware or software corresponding

to the position selected by said position selecting means from said managing first computer, and resource setting means for setting the hardware or software according to the ~~content of the~~ hardware or software information obtained by said resource information obtaining means, and when said second computer is connected to said network circuit through any one of said plural connecting means, said resource information obtaining means obtains the hardware or software information corresponding to the position selected by said position selecting means from the information managed by said position information managing means, and said resource setting means directly sets the hardware or software.

8. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a computer is connected to one of said connecting means, wherein

said computer comprises resource information obtaining means, when another computer is connected to said connecting means of said network circuit, for obtaining information relating to hardware or software through said network circuit from said other computer, said information including a position in the real world for each of the hardware or software, and resource setting means for setting the hardware or software according to the information relating to the hardware or software obtained by said resource information obtaining means, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource setting means directly sets the hardware or software according to the hardware or software information obtained by said resource information obtaining means from other computer connected to said connecting means of said network circuit.

9. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a computer is connected to one of said connecting means, wherein

each of said plural connecting means has position managing means for storing the position information indicating each installation position in the real world,

said computer comprises resource information managing means for managing plural sets of information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit corresponding to said connecting means, position selecting means for selecting one of the information relating to plural sets of hardware or software managed by said resource information managing means corresponding to the position information stored in said position managing means of said connecting means, and resource setting means for setting the hardware or software according to the information relating to the hardware or software corresponding to the position selected by said position selecting means, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource setting means directly sets the hardware or software according to the hardware or software information registered in said resource information managing means corresponding to the position information stored in said position information managing means of the connecting means to which said computer is connected.

10. (CURRENTLY AMENDED) A computer network system in which plural connecting means capable of connecting and disconnecting a computer is provided in a network circuit to which a computer is connected to one of said connecting means, wherein

said connecting means comprises resource information managing means for managing the information relating to hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit near each installation position, resource information noticing means for noticing the ~~content~~hardware or software information of said resource information managing means when the computer system is connected, and updated resource information registering means for updating and registering the



~~content~~hardware or software information of said resource information managing means by receiving updated hardware or software information from said computer,

said computer comprises resource information receiving means for receiving the hardware or software information managed by said resource information managing means noticed by said resource information noticing means, resource setting means for setting the hardware or software according to the hardware or software information received by said resource information receiving means, and updated resource information noticing means for noticing the updated hardware or software information to said connecting means in order to update the ~~content~~hardware or software information of said resource information managing means of said connecting means, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource information receiving means receives the hardware or software information managed by said resource information managing means noticed from said resource information noticing means, and said resource setting means directly sets the hardware or software according to the hardware or software information received by said resource information receiving means.

11. (PREVIOUSLY PRESENTED) The computer network system as set forth in claim 10, wherein

said connecting means further comprises updated resource information transmitting means for sending out updated hardware or software information to said network circuit when the ~~content~~hardware or software information of said resource information managing means is updated, and updated resource information receiving means for updating the ~~content~~hardware or software information of said resource information managing means when receiving the updated hardware or software information from said network circuit,

when updated hardware or software information is noticed from said updated resource

information noticing means to said connecting means, said updated resource information transmitting means sends out the updated hardware or software information to said network circuit, and

said updated resource information receiving means, when receiving the updated hardware or software information from said network circuit, updates the ~~content~~hardware or software information of said resource information managing means according to the received updated hardware or software information.

12. CANCELLED.

13. CANCELLED.

14. CANCELLED.

15. CANCELLED.

16. (CURRENTLY AMENDED) A portable computer used by being connected to a computer network to which a server computer is connected, comprising:

a resource information inquiring unit for inquiring the information relating to hardware or software, including a position in the real world of each of the hardware or software, which are usable in said network, to said server computer of the network to which it is connected itself,

a resource information obtaining unit for obtaining resource information noticed from said server computer in response to the inquiry from said resource information inquiring unit, and a resource setting unit for directly setting at least one of the hardware or software required in said network according to the information relating to the hardware or software obtained by said resource information obtaining unit, wherein said resource setting unit, when connected to a certain network, sets the hardware or software according to the resource information intrinsic to the network obtained by said resource information obtaining unit.

17. (CURRENTLY AMENDED) A system comprising:

a computer; and

first and second connecting units to connect and disconnect said computer, the first and second connecting units comprising a resource information managing unit to manage hardware or software information relating to a plurality of hardware or software which is usable through said system, and

said computer comprises a resource setting unit to directly set the hardware or software according to the resource information, including position in the real world for each of the hardware or software.

18. (PREVIOUSLY PRESENTED) The system as set forth in claim 17, wherein said computer further comprises a resource information receiving unit to receive the hardware or software information from the resource information managing unit.

19. (PREVIOUSLY PRESENTED) The system as set forth in claim 18, wherein said resource information receiving unit receives the hardware or software information directly from the resource information managing unit.

20. (CURRENTLY AMENDED) A computer network system in which plural connecting means connecting and disconnecting a computer is provided in a network circuit to which said computer is connected to one of said connecting means, wherein

said connecting means comprises resource information managing means for managing the information relating to the hardware or software, including a position in the real world for each of the hardware or software, which are usable through said network circuit near each installation position, resource information noticing means for noticing the ~~content~~ hardware or

software information of said resource information managing means when the computer system is connected, and updated resource information registering means for updating and registering the ~~content~~ hardware or software information of said resource information managing means by receiving updated hardware or software information from said computer,

said computer comprises resource information receiving means for receiving the hardware or software information managed by said resource information managing means noticed by said resource information noticing means, resource setting means for setting the hardware or software according to the hardware or software information received by said resource information receiving means, and updated resource information noticing means for noticing the updated hardware or software information to said connecting means in order to update the ~~content~~ hardware or software information of said resource information managing means of said connecting means, and

when said computer is connected to said network circuit through any one of said plural connecting means, said resource information receiving means receives the hardware or software information managed by said resource information managing means noticed from said resource information noticing means, and said resource setting means sets the hardware or software according to the hardware or software information received by said resource information receiving means.

21. (PREVIOUSLY PRESENTED) The computer network system as set forth in claim 20, wherein the position in the real world for each of the hardware or software is different.

22. (PREVIOUSLY PRESENTED) The computer network system as set forth in claim 17, wherein a user controls the resource setting unit to set the hardware or software.

23-26. (CANCELLED)